

MUSASHINO CHEMICAL (CHINA) CO., LTD.
Add: No.66 Chunfeng Rd. Economic & Technological
Development Zone of Yichun, Jiangxi. 336000 China
Tel: +86-795-3156288 3156289 Fax: +86-795-3156287
http://www.china-musashino.com

MATERIAL SAFETY DATA SHEET

L-ALANINE MSDS NO.022

SECTION 1- MATERIAL/COMPANY IDENTIFICATION

Chemical Name L-Alanine

Company Name Musashino Chemical (China) Co., Ltd.

Address No.66 Chunfeng Rd. Economic & Technological Development

Zone of Yichun, Jiangxi. 336000 China

Charge Department for MSDS Safety Management Department

 Responsibility for MSDS
 Fan Gui-Zeng

 Tel.
 +86-795-3156266

 Fax
 +86-795-3196986

 Emergency Tel.
 +86-795-3156282

SECTION 2- HAZARDS IDENTIFICATION

Hazards Not applicable

SECTION 3- COMPSITION/INFORMATION ON INGREDIENTS

Chemical name L-Alanine

Formula CH₃CH(NH₂)COOH

Molecular Weight 89.09 CAS NO. 56-41-7

SECTION 4- FIRST AID MEASURES

Skin contact Wash the skin immediately with soap and water.

Eye contact Make sure to remove any contact lenses from the eyes before

rinsing.

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical

attention if any discomfort continues.

SECTION 5- FIRE FIGHTING MEASURES

Fire extinguish Use water spray or extinguishing media

Extinguishing media Carbon dioxide(CO₂), foam

Hazards Not applicable

SECTION 6- ACCIDENTAL RELEASE MEASURES

Methods for cleaning up Place spilled material in clean, dry, sealable, labeled container

Clean up the leaked place with plenty of water.



MUSASHINO CHEMICAL (CHINA) CO., LTD.
Add: No.66 Chunfeng Rd. Economic & Technological
Development Zone of Yichun, Jiangxi. 336000 China
Tel: +86-795-3156288 3156289 Fax: +86-795-3156287
http://www.china-musashino.com

SECTION 7- HANDLING AND STORAGE

Handling Keep the container well when handling. Handle the materials on

clean clothes and in a cleaned room. Avoid dust formation.

Storage Keep container tightly closed. Keep in properly labeled

containers. Store in areas shielded the light, and below room temperature. Keep away from strong acids and strong oxidizers.

Packaging material Plastic containers, Paper drum with plastic liner.

SECTION 8- EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protection equipment Wear personal protective equipment. Avoid contact with skin

and eyes.

Hygiene measures Set up safety shower, hands washer and eyes washer nearby

handling the materials. Indicate the positions distinctly. When

using, do not eat, drink or smoke. Remove and wash

contaminated clothing before re-use.

SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

Appearance White powder or granular

Melting point 314.50~316.50℃

Solubility Water 157.8g/L (20°C)

SECTION 10- STABILITY AND REACTIVITY

Stability Stable.

Reactivity: Nothing in particular. Hazardous decomposition Nothing in particular.

products:

SECTION 11- TOXICOLOGICAL INFORMATION

Acute toxicity LD50: >7870 mg/kg bw. (mouse, ivII)

LD50: 4700 mg/kg bw

Tumorigenic effects Not applicable

SECTION 12- ECOLOGICAL INFORMATION

Solubility Good

Chemical Oxygen Demand 0.01 g O₂/g

(COD)

Biological Oxygen Demand 0.71 g O₂/g

(BOD)



MUSASHINO CHEMICAL (CHINA) CO., LTD. Add: No.66 Chunfeng Rd. Economic & Technological Development Zone of Yichun, Jiangxi. 336000 China Tel: +86-795-3156288 3156289 Fax: +86-795-3156287 http://www.china-musashino.com

SECTION 13- DISPOSAL CONSIDERATIONS

Contaminated packaging Decontaminate empty containers with water, dilute with water

and flush to waste system. Recycle containers if possible.

Further information Treatment, storage, transportation, and disposal must be in

accordance with local regulations.

SECTION 14- TRANSPORTATION INFORMATION

Packing Information Label the package and mark the products name, lot number,

weight etc.

Other information Delivery man should bring the MSDS. Avoid the package

damaged ,material let out and dangerous behavior such as

falling.

SECTION 15- REGULATORY INFORMATION

Not applicable

SECTION 16- OTHER INFORMATION

Revision Date 2020/06/01

LD50 Median lethal dose